

## PYREX STANDARD WALL

CODE #	OD mm	OD Var. +/- mm	Wall mm	Wall Variation +/-mm	PCS/ CASE	LBS/ CASE
234440	2	.15	.5	.1	357	5
234030	3	.2	.6	.1	551	15
234040	4	.3	.8	.1	520	25
234050	5	.3	.8	.1	390	25
234060	6	.3	1.0	.1	271	25
234070	7	.3	1.0	.1	223	25
234080	8	.3	1.0	.1	189	25
234090	9	.3	1.0	.1	164	25
234100	10	.3	1.0	.1	148	25
234110	11	.3	1.0	.1	132	25
234120	12	.3	1.0	.1	120	25
234130	13	.3	1.2	.1	93	25
234140	14	.3	1.2	.1	86	25
234150	15	.3	1.2	.1	80	25
234160	16	.3	1.2	.1	75	25
234170	17	.3	1.2	.1	70	25
234180	18	.3	1.2	.1	65	25
234190	19	.3	1.2	.1	62	25
234200	20	.4	1.2	.1	58	25
234220	22	.4	1.5	.2	43	25
234250	25	.4	1.5	.2	37	25
234280	28	.4	1.5	.2	33	25
234300	30	.7	1.8	.2	26	25
234320	32	.7	1.8	.2	24	25
234350	35	.7	2.0	.2	20	25
234380	38	.7	2.0	.2	18	25
234410	41	.9	2.0	.2	16	25
234450	45	1.0	2.0	.2	15	25
234480	48	1.0	2.0	.2	14	25
234510	51	1.0	2.0	.2	13	25
234540	54	1.0	2.4	.3	4	9
234570	57	1.0	2.4	.3	4	10
234600	60	1.1	2.4	.3	4	10
234640	64	1.2	2.4	.3	4	11
234700	70	1.2	2.4	.3	4	12
234750	75	1.3	2.4	.3	4	13
234800	80	1.3	2.4	.3	4	14
234850	85	1.3	2.4	.3	4	15
234900	90	1.3	2.4	.3	4	16
234950	95	1.4	2.4	.3	4	17
234000	100	1.4	2.4	.3	4	18
234310	110	1.8	2.6	.3	4	21
234330	120	1.8	3.0	.3	4	27
234340	125	1.8	3.0	.3	4	28
234360	130	1.8	3.0	.3	4	29
234370	140	2.0	3.5	.4	2	18
234390	150	2.0	3.5	.4	2	20
234230	178	2.2	3.5	.4	2	26
232004	180	2.3	3.5	.4	1	15
232005	190	2.6	4.0	.4	1	18
232006	200	2.6	5.0	.5	1	23
232007	210	2.6	5.0	.5	1	25
232008	220	2.8	5.5	.6	1	28

## **PYREX MEDIUM WALL TUBING**

<b>CODE #</b>	<b>O.D. Inches</b>	<b>O.D. Variation +/- inches</b>	<b>Wall Inches</b>	<b>Wall Variation +/- inches</b>	<b>Pieces/ Case</b>	<b>Lbs/ Case</b>
237300	1 1/4"	.012	.047	.004	276	32
237310	1 1/2"	.012	.063	.008	96	32
237315	5/8"	.012	.063	.008	75	32
237320	3/4"	.012	.063	.008	61	32
237330	1"	.0157	.094	.012	31	32
237310	1 1/4"	.0275	.094	.012	24	32
237350	1 1/2"	.0275	.094	.012	18	30
237370	1 3/4"	.039	.094	.012	15	29
237380	2"	.039	.126	.012	4	12
237390	2 1/4"	.039	.126	.0157	4	13
237400	2 1/2"	.055	.126	.0157	4	15
237410	2 3/4"	.059	.126	.0157	4	16
237420	3"	.059	.126	.0157	4	18
237430	3 1/4"	.067	.126	.0157	4	19
237440	3 1/2"	.0708	.126	.0157	4	21
237450	4"	.0708	.189	.0197	4	35
237460	4 1/2"	.0708	.189	.0197	2	20
232009	7"	.087	.236	.024	1	25
232012	7 1/2"	.098	.276	.031	1	30
232013	7 7/8"	.102	.276	.031	1	32
232014	8 1/4"	.102	.276	.031	1	34
232015	8 5/8"	.110	.276	.031	1	35
232016	9"	.110	.276	.031	1	37
232017	9 1/2"	.118	.276	.031	1	39
232018	9 7/8"	.122	.276	.031	1	40

## PYREX HEAVY WALL TUBING

CODE #	O.D. INCHES	O.D. Var. +/- inches	Wall Inches	Wall Var. +/- inches	PCS/ CASE	LBS/ CASE
237650	3 /8"	.012	.0787	.008	96	27
237500	1 /2"	.012	.094	.008	61	27
237660	5 /8"	.012	.094	.008	45	27
237510	3 /4"	.012	.126	.0157	28	27
237360	7 /8"	.0157	.126	.0157	30	34
237520	1"	.0157	.157	.0157	24	38
237530	1 1 /4"	.0275	.157	.0157	18	38
237540	1 1 /2"	.0275	.157	.0157	12	31
237550	1 3 /4"	.039	.157	.0157	10	30
237560	2"	.039	.189	.0196	4	17
237570	2 1 /4"	.039	.189	.0196	4	19
237580	2 1 /2"	.059	.189	.0196	4	21
237590	2 3 /4"	.059	.189	.0196	4	24
237600	3"	.059	.189	.0196	4	26
237610	3 1 /4"	.0708	.189	.0196	4	29
237620	3 1 /2"	.0708	.189	.0196	4	31
237630	4"	.0708	.2519	.0275	2	23
237640	4 1 /2"	.0708	.2519	.0275	2	26
237670	5"	.0708	.2519	.0275	2	29
237680	5 1 /2"	.0787	.2519	.0275	2	32
237690	6"	.0787	.311	.035	2	43
237700	6 1 /2"	.0787	.311	.035	1	24
237710	7"	.0866	.374	.043	1	30

## PYREX SPECIAL WALL TUBING

CODE #	O.D. mm	O.D. Var. +/- mm	Wall mm	Wall Var. +/- mm	Pcs/ case	Lbs/ case
234081	8	.3	1.5	.2	136	25
234082	8	.3	2.0	.2	109	25
234103	9	.3	1.5	.2	117	25
234104	9	.3	2.0	.2	94	25
234101	10	.3	1.5	.2	104	25
234102	10	.3	2.0	.2	82	25
234105	11	.3	1.5	.2	93	25
234131	11	.3	2.0	.2	73	25
234106	14	.3	1.6	.2	67	25
234107	19	.3	2.25	.2	35	25
234108	22	.4	2.25	.3	30	25

## PYREX ROD

CODE #	O.D. mm	O.D. Variation +/- mm	PCS/ CASE	LBS/ CASE
239430	3	.4	625	25
239440	4	.4	328	25
239450	5	.4	215	25
239460	6	.4	145	25
239470	7	.4	107	25
239480	8	.4	83	25
239490	9	.4	65	25
239400	10	.4	52	25
239212	11	.4	44	25

## PYREX ROD (Large Sizes)

CODE #	O.D. Inches	O.D. Variation +/- inches	PCS/ CASE	LBS/ CASE
239250	1 1/2"	.0196	33	25
239260	5/8"	.0236	21	25
239270	3/4"	.031	14	25
239200	1"	.039	8	24
239210	1 1/4"	.051	5	24
239211	1 1/2"	.067	6	41
231895	1.8" (46mm)			50

## PYREX CAPILLARY TUBING

CODE #	NOM. O.D. mm	O.D. INCH.	O.D. Var. +/- In.	BORE mm	BORE Var. +/- mm	Pieces Per Case	Lbs. Per Case
236510	5.5	.216	.016	0.5	0.1	107	15
236520	6.5	.256	.016	1.0	0.2	78	15
236521	6.5	.256	.016	1.25	0.2	57	15
236522	7.0	.275	.016	2.75	0.2	76	15
236523	8.0	.315	.016	3.38	0.3	59	15
236530	7.5	.296	.016	1.5	0.2	58	15
236540	7.5	.296	.016	1.75	0.2	61	15
236560	9.0	.354	.016	2.38	0.2	43	15

## VYCOR STANDARD WALL TUBING

CODE#	O.D. mm	O.D. Limit inches	WALL mm	PCS./ CASE
743170	6	.266-.246	1.0	20
743172	7	.266-.286	1.0	20
743180	9	.338-.370	1.0	15
743173	13	.496-.528	1.2	10
740034	15	.575-.607	1.2	8
743190	19	.726-.770	1.2	7
743174	22	.842-.890	1.5	6
744380	25	.956-.1012	1.5	6
744381	30	1.15-1.212	1.8	4
744382	38	1.458-1.534	2.0	4
744383	45	1.729-1.815	2.4	3
744384	51	1.96-2.056	2.4	2
744385	57	2.188-2.3	3.0	2
744386	64	2.456-2.55	3.0	2
744377	75	2.882-3.024	3.0	1

**PYREX**  
**TUBING**  
**AND**  
**ROD**

**JANUARY 1, 2010**